

CITRINE

SERVE - OVER &
SELF - SERVICE COUNTERS




Kaplanlar



CITRINE

SERVE - OVER &
SELF - SERVICE COUNTERS





CITRINE SQ

SERVE - OVER &
SELF - SERVICE COUNTERS





CITRINE offers an ideal solution for the attractive display and sale of delicatessen and fresh food products, suitable for both serve-over and self-service applications.

CITRINE features a clean and versatile design with strong visual impact, making it well suited for a wide range of store concepts, from hypermarkets to convenience stores.

CITRINE is designed to ensure clear product visibility and easy access, enhancing product presentation and supporting an efficient shopping experience.

Benefits & Specifications:

- Flexible counter combinations for varied displays
- Wide selection of available accessories
- Robust and durable construction
- Material combinations of stone, metal, wood, and glass
- Distinct features to support concept design
- Energy-efficient performance with practical use
- Versatile and adaptable design platform
- Flush or stepped shelves for easy service
- Curved or angled designs to save floor space
- Open and clear product visibility

Dimensions (mm):

Height : 1200 (Serve Over) / 850 (Self Service)

Length :

Run Cabinets : 1250 / 1875 / 2500 / 3125 / 3750

Corner Cabinets : EC45° / EC90° / IC45° / IC90°

Depth : 1027 / 1150


SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 – M2	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.




Technical Data

CITRINE Serve-Over Counters Front Glass Types




AA: Square Glass, Top Hinged




D: Flat Glass, Lower Hinged

CITRINE Self-Service Counters Front Glass Types




AA SS: Square Glass, Self-Service





D SS: Flat Glass, Self-Service

CITRINE SQ Fascia Panel Types



TP: Flat Front Fascia Panel







YP: Half Lower Front Fascia Panel

D: SQUARE GLASS / LOWER HINGED

AA: FLAT GLASS / TOP HINGED

CITRINE SQ 710



CITRINE 710 / 1200 / 1027 / 585 - SQ-D-DL

CITRINE 710 / 850 / 1027 / 585 - SQ-D-SS

CITRINE 710 / 1200 / 1027 / 540 - SQ-AA-DL

CITRINE 710 / 1200 / 1027 / 540 - SQ-AA-SS





Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE SQ 780



CITRINE 780 / 1200 / 1027 / 585 - SQ-D-DL

CITRINE 780 / 850 / 1027 / 585 - SQ-D-SS

CITRINE 780 / 1200 / 1027 / 540 - SQ-AA-DL

CITRINE 780 / 1200 / 1027 / 540 - SQ-AA-SS





Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE SQ 830



CITRINE 830 / 1200 / 1027 / 585 - SQ-D-DL

CITRINE 830 / 850 / 1027 / 585 - SQ-D-SS

CITRINE 830 / 1200 / 1027 / 540 - SQ-AA-DL

CITRINE 830 / 1200 / 1027 / 540 - SQ-AA-SS





Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE SQ 900



CITRINE 900 / 1200 / 1027 / 585 - SQ-D-DL

CITRINE 900 / 850 / 1027 / 585 - SQ-D-SS

CITRINE 900 / 1200 / 1027 / 540 - SQ-AA-DL

CITRINE 900 / 1200 / 1027 / 540 - SQ-AA-SS

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750

Length mm | 1250 / 1875 / 2500 / 3750


Length mm | 1250 / 1875 / 2500 / 3750




Technical Data



CITRINE SQ EC90
90° EXTERNAL CORNER



CITRINE SQ EC90
90° BEVELLED EXTERNAL CORNER



CITRINE SQ EC90
90° CURVED EXTERNAL CORNER



CITRINE SQ IC90
90° INTERNAL CORNER



CITRINE SQ IC90
90° BEVELLED INTERNAL CORNER



CITRINE SQ IC90
90° CURVED INTERNAL CORNER



CITRINE SQ EC45
45° BEVELLED EXTERNAL CORNER




CITRINE SQ EC45
45° CURVED EXTERNAL CORNER



CITRINE SQ IC45
45° BEVELLED INTERNAL CORNER




CITRINE SQ IC45
45° CURVED INTERNAL CORNER




CITRINE EC90 / 90° EXTERNAL CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 90° | 90°




CITRINE EC90 / 90° BEVELLED EXT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 90° | 90°




CITRINE EC90 / 90° CURVED EXT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 90° | 90°




CITRINE EC90 / 90° INTERNAL CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 90° | 90°




CITRINE EC90 / 90° BEVELLED INT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 90° | 90°




CITRINE EC90 / 90° CURVED INT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 90° | 90°




CITRINE EC45 / 45° BEVELLED EXT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 45° | 45°




CITRINE EC45 / 45° CURVED EXT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 45° | 45°



CITRINE IC45 / 45° BEVELLED INT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 45° | 45°



CITRINE IC45 / 45° CURVED INT. CORNER

Length mm | CITRINE 830 | CITRINE 900
 | 45° | 45°



CITRINE CG

SERVE - OVER &
SELF - SERVICE COUNTERS





CITRINE offers an ideal solution for the attractive display and sale of delicatessen and fresh food products, suitable for both serve-over and self-service applications.

CITRINE features a clean and versatile design with strong visual impact, making it well suited for a wide range of store concepts, from hypermarkets to convenience stores.

CITRINE is designed to ensure clear product visibility and easy access, enhancing product presentation and supporting an efficient shopping experience.

Benefits & Specifications:

- Flexible counter combinations for varied displays
- Wide selection of available accessories
- Robust and durable construction
- Material combinations of stone, metal, wood, and glass
- Distinct features to support concept design
- Energy-efficient performance with practical use
- Versatile and adaptable design platform
- Flush or stepped shelves for easy service
- Curved or angled designs to save floor space
- Open and clear product visibility

Dimensions (mm):

Height : 1200 (Serve Over) / 850 (Self Service)

Length :

Run Cabinets : 1250 / 1875 / 2500 / 3125 / 3750

Corner Cabinets : EC45° / EC90° / IC45° / IC90°

Depth : 1027 / 1150

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 – M2	HFC HFC/HFO CO ₂	


* Contact us for details on alternative refrigerant options.



Technical Data


CG: CURVED GLASS / TOP HINGED

CITRINE CG 780



CITRINE 780 / 1225 / 1032 / 476 - CG - DL


Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 780 / 1225 / 1032 / 476 - CG - SS


Length mm | 1250 / 1875 / 2500 / 3750

CITRINE CG 830



CITRINE 830 / 1225 / 1032 / 476 - CG - DL


Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 830 / 1225 / 1032 / 476 - CG - SS


Length mm | 1250 / 1875 / 2500 / 3750

CITRINE CG 900



CITRINE 900 / 1225 / 1032 / 476 - CG - DL


Length mm | 1250 / 1875 / 2500 / 3750




CITRINE 900 / 1225 / 1032 / 476 - CG - SS

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE Serve-Over Counters Front Glass Types



CG: Curved Glass, Top Hinged



CG SS: Curved Glass, Self-Service



CITRINE CONVERTIBLE

SERVE - OVER &
SELF - SERVICE COUNTERS





Benefits & Specifications:

- Designed by inspired designers and built by dedicated craftsmen
- Easily converts from self-service to serve-over
- Dual-function cabinet design
- Flush or tapered shelving options
- Curved or angled styling to support concept design



Dimensions (mm):


Height : 1200
 Length : 1250 / 2500 / 3750
 Depth : 1150

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 – M2	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.



Technical Data



CITRINE CONVERTIBLE 830 / 1200 / 1150 / 540-SQ-AA

Length mm | 1250 / 2500 / 3750



CITRINE ORIEL

SERVE - OVER COUNTER





Benefits & Specifications:

- Oriel-style display for niche products
- Eye-catching presentation for selective customers
- Rotating tray to highlight selected products
- Adds a dynamic visual perspective

Dimensions (mm):



Height : 1200
 Length : 1250
 Depth : 1489

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 – M2	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.



Technical Data



CITRINE 900 / 1200 / 1150 / 580-SQ-AA

Length mm | 1250

CITRINE 830 / 1200 / 1150 / 580-SQ-AA

Length mm | 1250



CITRINE LOW-BASE

SELF - SERVICE COUNTER





Benefits & Specifications:

- Flush or stepped shelving for convenient service
- Easily adapted to seasonal requirements
- Compact footprint with an expanded display area
- Suitable for a wide range of food and beverage presentations

Dimensions (mm):

Height : 850


Length : 1250 / 1875 / 2500 / 3750

Depth : 1150

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 – M2	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

Technical Data



CITRINE LOW BASE 830 / 850 / 1130 / 385 - SQ - AA

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE STORAGE

SERVE - OVER COUNTER
with INTEGRATED STORAGE





Benefits & Specifications:

- Assisted service display cabinet with refrigerated base storage
- Distinctive features to support concept design
- Compact design with a small footprint
- Ergonomic layout with easy access
- Adds a dynamic visual perspective
- Suitable for a wide range of food presentations
- Easily adapted to changing product ranges
- Design options to suit different store concepts

Dimensions (mm):


Height : 1200 (SQ) / 1225 (CG)
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 1150

SYSTEM	TEMPERATURE CLASS	REFRIGERANT
REMOTE	M1 - M2	HFC HFC/HFO CO ₂

* Contact us for details on alternative refrigerant options.




Technical Data



CITRINE 900 / 1200 / 1150 / 549 - SQ - AA - DP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 900 / 1225 / 1150 / 476 - CG - DP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE MEAT

STATIC SERVE - OVER COUNTER





Benefits & Specifications:

- Compact footprint with an expanded display area
- Suitable for a wide range of food and beverage presentations
- Static cooling meat counter, ideal for fresh meat display


Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 1170 (SQ) / 1195 (CG)

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M0 - M1	HFC HFC/HFO CO ₂	


* Contact us for details on alternative refrigerant options.

Technical Data



CITRINE 810 / 1200 / 1170 / 540 - SQ - AA - ST - MEAT

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 810 / 1200 / 1195 / 540 - CG - AA - ST - FG - MEAT

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE FISH

STATIC SELF - SERVICE &
SERVE - OVER COUNTERS



Benefits & Specifications:

- Compact footprint with an expanded display area
- Suitable for a wide range of food and beverage presentations
- Static refrigerated cabinet, ideal for fresh fish display



Dimensions (mm):


Height : 1200 (SQ) / 1225 (CG)
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 1170 (SQ) / 1195 (CG)

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M0 - M1	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.




Technical Data




CITRINE 810 / 1200 / 1170 / 540 - SQ - AA - ST - FISH

Length mm | 1250 / 1875 / 2500 / 3750




CITRINE 810 / 850 / 1170 / 540 - SQ - AA - ST - SS - FISH

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 810 / 1200 / 1195 / 540 - CG - AA - ST - FG - FISH

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 810 / 850 / 1195 / 540 - CG - AA - ST - SS - FISH

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE DOUBLE DECK

COMBINED SERVE - OVER COUNTER





Benefits & Specifications:

- Flush or stepped shelving for convenient service
- Easily adapted to seasonal requirements
- Compact footprint with an expanded display area
- Suitable for a wide range of food and beverage presentations
- Double deck display design for enhanced product visibility and increased merchandising capacity


Dimensions (mm):

Height : 1250 (SQ) / 1275 (CG)
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 1467

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 - M2	HFC HFC/HFO CO ₂	


* Contact us for details on alternative refrigerant options.

Technical Data



CITRINE 780 / 900 / 1467 / 526-SQ-AA-DD

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 780 / 900 / 1467 / 526-CG-AA-DD

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE PIZZA

SELF - SERVICE PIZZA COUNTER





Benefits & Specifications:

- Distinctive features to support concept design
- Convenient and easy product replenishment
- Pick-and-mix topping service option


Dimensions (mm):

Height : 917
 Length : 1250 / 2500 / 3125 / 3750
 Depth : 1151

SYSTEM	TEMPERATURE CLASS	REFRIGERANT
REMOTE	M2	HFC HFC/HFO CO ₂


* Contact us for details on alternative refrigerant options.

Technical Data



CITRINE PIZZA / 850 / 1151 / 540 - SQ - AA

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE PIZZA / 850 / 1151 / 540 - SQ - D

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE TOWER

SERVE - OVER COUNTER





Benefits & Specifications:

- Non-refrigerated shelving
- Attractive and eye-catching display
- Multiple features, including integrated drawers, to support easy service operations
- Convenient product replenishment with multiple opening options
- Accessible and ergonomic design
- Expanded display area
- Dynamic lighting system
- Fully configurable with different height options for various concepts


Dimensions (mm):

Height : 1554
 Length : 1250
 Depth : 1150

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M2 - H1 - H2	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

Technical Data



CITRINE TOWER 830 / 1554 / 1150 / 540 - SQ - AA

Length mm | 1250



CITRINE PATISSERIE

SERVE - OVER COUNTER





Benefits & Specifications:

- Eye-catching and appealing display
- Multiple features for easy service operations
- Convenient product replenishment via multiple opening options
- Accessible and ergonomic design
- Increased display area
- Dynamic lighting


Dimensions (mm):

Height : 1554
 Length : 1250 / 2500 / 3750
 Depth : 1150

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M2 - H1 - H2	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

Technical Data



CITRINE PÂTISSERIE | 1300 / 859 / 552 - SQ


Length mm | 1250 / 2500 / 3750



CITRINE BAIN MARIE

SERVE - OVER HOT COUNTER





Benefits & Specifications:

- Striking and eye-catching display
- Multiple features supporting easy service operations
- Practical product replenishment through multiple opening options
- Accessible and ergonomic layout
- Enlarged display area
- Dynamic lighting features
- Fully configurable with various height options for different concepts

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C
BAIN MARIE	+79 / +82





Technical Data

D: SQUARE GLASS / LOWER HINGED

AA: FLAT GLASS / TOP HINGED

CG: CURVED GLASS / TOP HINGED

CITRINE 710





CITRINE 710 / 1200 / 1027 / 585-SQ-D-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 710 / 1200 / 1027 / 540-SQ-AA-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 780




CITRINE 780 / 1200 / 1027 / 585-SQ-D-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 780 / 1200 / 1027 / 540-SQ-AA-BM



Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 780 / 1225 / 1032 / 476-CG-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 830




CITRINE 830 / 1200 / 1027 / 585-SQ-D-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 830 / 1200 / 1027 / 540-SQ-AA-BM



Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 830 / 1225 / 1032 / 476-CG-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 900




CITRINE 900 / 1200 / 1027 / 585-SQ-D-BM

Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 900 / 1200 / 1027 / 540-SQ-AA-BM

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 900 / 1225 / 1032 / 476-CG-BM

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE HOT PLATE

SERVE - OVER HOT COUNTER





Benefits & Specifications:

- Remarkable, eye-catching display
- Multiple features for smooth service operations
- Easy product replenishment through multiple opening options
- Accessible and ergonomic design
- Expanded display area
- Dynamic lighting
- Fully configurable with different height options to suit various concepts

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1027 / 1150

SYSTEM	OPERATING TEMP. °C
HOT	+65 / +70




Technical Data

D: SQUARE GLASS / LOWER HINGED

AA: FLAT GLASS / TOP HINGED


CG: CURVED GLASS / TOP HINGED

CITRINE 710



CITRINE 710 / 1200 / 1027 / 585-SQ-D-HP


Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 710 / 1200 / 1027 / 540-SQ-AA-HP


Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 780




CITRINE 780 / 1200 / 1027 / 585-SQ-D-HP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 780 / 1200 / 1027 / 540-SQ-AA-HP


Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 780 / 1225 / 1032 / 476-CG-HP


Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 830




CITRINE 830 / 1200 / 1027 / 585-SQ-D-HP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 830 / 1200 / 1027 / 540-SQ-AA-HP


Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 830 / 1225 / 1032 / 476-CG-HP


Length mm | 1250 / 1875 / 2500 / 3750

CITRINE 900




CITRINE 900 / 1200 / 1027 / 585-SQ-D-HP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 900 / 1200 / 1027 / 540-SQ-AA-HP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE 900 / 1225 / 1032 / 476-CG-HP

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE

GRAB & GO

SELF - SERVICE COUNTERS



Benefits & Specifications:

- Compact design with a minimal footprint
- Suitable for a wide range of food presentations
- Easily adapted to seasonal requirements
- Accessible and ergonomic design


Dimensions (mm):

Height : 1206 / 1220 / 1500
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 1129

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 - M2	HFC HFC/HFO CO ₂	A ↑ G C


* Contact us for details on alternative refrigerant options.

Technical Data




CITRINE GG 830/1200/1129/540-SQ-AA-NC

Length mm | 1250 / 1875 / 2500 / 3750




CITRINE GG 830/1220/1129/540-SQ-AA

Length mm | 1250 / 1875 / 2500 / 3750




CITRINE GG 830/1500/1129/540-SQ-AA

Length mm | 1250 / 1875 / 2500 / 3750




CITRINE GG 830/1200/1129/585-SQ-D-NC

Length mm | 1250 / 1875 / 2500 / 3750



CITRINE GG 830/1220/1129/585-SQ-D

Length mm | 1250 / 1875 / 2500 / 3750




CITRINE GG 830/1500/1129/585-SQ-D

Length mm | 1250 / 1875 / 2500 / 3750



Accessories



Bag Dispenser



Bin



Cutting Board



Knife Holder



Pick A Bag Hooks



Scale Platform




Product Divider




Modul Divider



Sliding Rear Door



Rear Arm With Glass



Stepped Deck



Stainless Steel Bumprail



CITRINE DF

SERVE - OVER FROZEN COUNTER





Benefits & Specifications:

- Compact design with a minimal footprint
- Suitable for a wide range of food presentations
- Easily adapted to seasonal requirements
- Accessible and ergonomic design
- Ideal for the display of frozen products

Dimensions (mm):

Height : 1200 (SQ)


Length : 1250 / 1875 / 2500 / 3750

Depth : 1125

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	L1	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.


Technical Data



CITRINE 810 DF

Length mm | 1250 / 1875 / 2500 / 3750

> REFLECT <
CASE+



TEKNOSAB 28. Cadde No: 1
16700 Karacabey / Bursa, Türkiye

www.kaplanlar.com