

CRYSTAL

VERTICAL MULTI-DECK



Kaplanlar



CRYSTAL

VERTICAL MULTI-DECK





CRYSTAL is a vertical multi-deck refrigerated display cabinet with a user-friendly, ergonomic design and a large display area. It offers simplified maintenance, modular configuration options, and easy adaptability for retrofit projects, making it a versatile solution for modern store environments. Suitable for chilled, ready-to-eat, and beverage products.

Benefits & Specifications:

- User-friendly design
- Simplified maintenance
- Easy access with an ergonomic design
- Designed for modular configurations
- Large display area
- Can be easily adapted for retrofit projects

Dimensions (mm):

Height : 2050 / 2200

Length : 1250 / 1875 / 2136

(HC) / 2500 / 2812,5 / 3125 / 3750

Depth : 950 / 1020 / 1120

SYSTEM	TEMPERATURE CLASS	REFRIGERANT	ENERGY CLASS
REMOTE	M1 - M2 - H1	HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.


* The energy class value has been calculated based on the 2500 mm length with a double glass door.




Accessories




Solid Shelf



Wire Shelf




Rack Shelf



Wire Shelf Riser



Plexi Shelf Riser




Plexi Product Divider



Wire Product Divider




Shelf Lighting



Wire Base Tray
Wire Base Product Divider




Wire Basket



Hook Bar



Cabinet Upstand



Plastic Bumprail




Stainless Steel Bumprail



Base Front Crisp Basket



Night Blind



Mirror (Fv & Mt)



Acrylic System Divide



Panoramic Side Panel



Intermediate Side Panel






Mirrored Side Panel



Technical Data

HEIGHT 2050

DEPTH 950



CRYSTAL V3 2050 / 950

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

With Single Glass Doors

CRYSTAL V3 2050 / 950




Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

With Double Glass Doors

CRYSTAL V3 2050 / 950

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

DEPTH 1020



CRYSTAL V3 2050 / 1020

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

With Single Glass Doors

CRYSTAL V3 2050 / 1020




Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

With Double Glass Doors

CRYSTAL V3 2050 / 1020

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

DEPTH 1120



CRYSTAL V3 2050 / 1120

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

With Single Glass Doors

CRYSTAL V3 2050 / 1120

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750


With Double Glass Doors

CRYSTAL V3 2050 / 1120

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750


HEIGHT 2200

DEPTH 950



CRYSTAL V3 2200 / 950


Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750



With Single Glass Doors

CRYSTAL V3 2200 / 950

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750




With Double Glass Doors

CRYSTAL V3 2200 / 950


Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

DEPTH 1020



CRYSTAL V3 2200 / 1020


Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750



With Single Glass Doors

CRYSTAL V3 2200 / 1020

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750




With Double Glass Doors

CRYSTAL V3 2200 / 1020


Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750

DEPTH 1120



CRYSTAL V3 2200 / 1120


Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750



With Single Glass Doors

CRYSTAL V3 2200 / 1120

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750




With Double Glass Doors

CRYSTAL V3 2200 / 1120

Length mm | 1250 / 1875 / 2136 (HC)
2500 / 2812,5 / 3125 / 3750





ISLAND CONFIGURATION





① END CASE



② RUN CASE



If Crystal V3 950 run cabinets are positioned back to back




If Crystal V3 950 / 1020 run cabinets are positioned back to back



If Crystal V3 1120 run cabinets are positioned back to back

> REFLECT <
CASE+



TEKNOSAB 28. Cadde No: 1
16700 Karacabey / Bursa, Türkiye

www.kaplanlar.com