

- VERTICAL
MULTI-DECKS
- SEMI-VERTICAL
MULTI-DECKS
- COUNTERS
- FREEZERS
- INTEGRALS



Kaplanlar

40+ Years
6 Continents
50+ Countries

Openness, Honesty *and* Fairness
Ethical *and* Compliant
Teamwork *and* Common Goals
Quality, Service, Innovation *and*
Flexibility *in* Customer Focus
Operational Excellence



Kaplanlar

ENVIRONMENTAL AWARENESS

AGILITY

ENERGY EFFICIENCY

FLEXIBILITY

BESPOKE SOLUTIONS

INNOVATIONS

VERTICAL
MULTI-
DECKS



SEMI-
VERTICAL
MULTI-
DECKS

PEARL

VERTICAL MULTI-DECK

Dimensions (mm):

Height : 2050 / 2200

Length :

Run Cabinets: 1250 / 1875 / 2500 / 2812,5
3125 / 3750

End Cabinets: 1660 / 1875 / 2136

Depth : 770 / 850 / 950 / 1090



SYSTEM	TEMPERATURE CLASS
REMOTE	M0 - M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂ Water Cooled	A B

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

PEARL SKY

VERTICAL MULTI-DECK

Dimensions (mm):

Height : 2050 / 2200

Length :

Run Cabinets: 1250 / 1875 / 2500 / 3750

End Cabinets: 1660 / 1875 / 2136

Depth : 850 / 950 / 1090



SYSTEM	TEMPERATURE CLASS
REMOTE	M0 - M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂ Water Cooled	A B

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

CRYSTAL

VERTICAL MULTI-DECK

Dimensions (mm):

Height : 2050 / 2200

Length : 1250 / 1875 / 2136

(HC) / 2500 / 2812,5 / 3125 / 3750

Depth : 950 / 1020 / 1120



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A B C

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

ONIX

VERTICAL MULTI-DECK

Dimensions (mm):

Height : 2050 / 2200

Length : 1250 / 1875 / 2136

(HC) / 2500 / 2812,5 / 3125 / 3750

Depth : 950 / 1020 / 1120



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A B C

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.



AGATE

WIDE PRODUCE CABINET

Dimensions (mm):

Height : 2100
Length : 1250 / 1875 / 2500 / 3750
Depth : 1270



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂ Water Cooled	A G D

* Contact us for details on alternative refrigerant options.
* The energy class value has been calculated based on the 2500 mm length.

BRIE

BACK - WALL
SERVICE CABINET

Dimensions (mm):

Height : 2400
Length : 2500
Depth : 921



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	
HFC HFC/HFO	

* Contact us for details on alternative refrigerant options.

CATALINA

VERTICAL WIDE
MULTI-DECK

Dimensions (mm):

Height : 2050 / 2200
Length : 1250 / 1875 / 2500 / 3750
Depth : 1000 / 1160



SYSTEM	TEMPERATURE CLASS
REMOTE	M0 - M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G C

* Contact us for details on alternative refrigerant options.
* The energy class value has been calculated based on the 2500 mm length with a double glass door.



OPAL

SEMI VERTICAL
MULTI-DECK

Dimensions (mm):

Height : 1500

Length : Run Cabinets : 1250 / 1875 / 2500
3750

End Cabinets : 1660 / 2136

Depth : 850 / 1000 / 1100



SYSTEM	TEMPERATURE CLASS
REMOTE	M0 - M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G C

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

FLORIT PRODUCE

SELF-SERVICE
PRODUCE COUNTER

Florit Dimensions (mm):

Height : 1470

Length : 1250 / 1875 / 2500 / 3750

Depth : 1319

Florit with Lids Dimensions (mm):

Height : 1514

Length : 1250 / 1875 / 2500 / 3750

Depth : 1345



SYSTEM	TEMPERATURE CLASS
REMOTE	H1 - H2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G D

* Contact us for details on alternative refrigerant options.

* Energy class ratings may vary in accordance with customer-specific requirements.

LIMESTONE

SEMI VERTICAL
PRODUCE CABINET

Dimensions (mm):

Height : 1600

Length : 1250 / 1875 / 2500 / 3750

Depth : 1270



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G D

* Contact us for details on alternative refrigerant options.



SEMI-VERTICAL MULTI-DECKS



OPAL LB

SEMI VERTICAL
MULTI-DECK

Dimensions (mm):

Height : 1600
Length : 1250 / 1875 / 2136
(HC) / 2500 / 3750

Depth : 993



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

OPAL SUSHI

SEMI VERTICAL
MULTI-DECK

Dimensions (mm):

Height : 970
Length : 1250 / 1875 / 2500 / 3750
Depth : 821



SYSTEM	TEMPERATURE CLASS
REMOTE	M0 - M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

SELF-
SERVICE
&
SERVE-
OVER-
COUNTERS



CITRINE SQ

SERVE - OVER &
SELF - SERVICE COUNTERS

Dimensions (mm):

Height : 1200 (Serve Over) / 850 (Self Service)

Length :

Run Cabinets : 1250 / 1875 / 2500 / 3125 / 3750

Corner Cabinets : EC45° / EC90° / IC45° / IC90°

Depth : 1027 / 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G E

* Contact us for details on alternative refrigerant options.

CITRINE CG

SERVE - OVER &
SELF - SERVICE COUNTERS

Dimensions (mm):

Height : 1200 (Serve Over) / 850 (Self Service)

Length :

Run Cabinets : 1250 / 1875 / 2500 / 3125 / 3750

Corner Cabinets : EC45° / EC90° / IC45° / IC90°

Depth : 1027 / 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G E

* Contact us for details on alternative refrigerant options.

CITRINE CONVERTIBLE

SERVE - OVER &
SELF - SERVICE COUNTERS

Dimensions (mm):

Height : 1200

Length : 1250 / 2500 / 3750

Depth : 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G E

* Contact us for details on alternative refrigerant options.

CITRINE ORIEL

SERVE - OVER
COUNTER

Dimensions (mm):

Height : 1200

Length : 1250

Depth : 1489



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G E

* Contact us for details on alternative refrigerant options.



CITRINE LOW BASE

SELF - SERVICE COUNTER

Dimensions (mm):

Height : 850

Length : 1250 / 1875 / 2500 / 3750

Depth : 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

CITRINE STORAGE

SERVE - OVER COUNTER
with INTEGRATED STORAGE

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)

Length : 1250 / 1875 / 2500 / 3750

Depth : 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

CITRINE MEAT


STATIC SERVE - OVER
COUNTER

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)

Length : 1250 / 1875 / 2500 / 3750

Depth : 1170 (SQ) / 1195 (CG)



SYSTEM	TEMPERATURE CLASS
REMOTE	M0 - M1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

CITRINE FISH

STATIC SELF - SERVICE &
SERVE - OVER COUNTERS

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)

Length : 1250 / 1875 / 2500 / 3750

Depth : 1170 (SQ) / 1195 (CG)



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

CITRINE DOUBLE DECK

COMBINED SERVE - OVER
COUNTER

Dimensions (mm):

Height : 1250 (SQ) / 1275 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1467



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G E

* Contact us for details on alternative refrigerant options.

CITRINE PIZZA

SELF - SERVICE
PIZZA COUNTER

Dimensions (mm):

Height : 917
Length : 1250 / 2500 / 3125 / 3750
Depth : 1151



SYSTEM	TEMPERATURE CLASS
REMOTE	M2
REFRIGERANT	
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

CITRINE TOWER

SERVE - OVER COUNTER

Dimensions (mm):

Height : 1554
Length : 1250
Depth : 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M2 - H1 - H2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G D

* Contact us for details on alternative refrigerant options.

CITRINE PATISSERIE

SERVE - OVER COUNTER

Dimensions (mm):

Height : 1554
Length : 1250 / 2500 / 3750
Depth : 1150



SYSTEM	TEMPERATURE CLASS
REMOTE	M2 - H1 - H2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G D

* Contact us for details on alternative refrigerant options.



CITRINE BAIN MARIE

SERVE - OVER
HOT COUNTER

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1027 / 1150



SYSTEM	OPERATING TEMP. °C
BAIN MARIE	+79 / +82

CITRINE HOT PLATE

SERVE - OVER
HOT COUNTER

Dimensions (mm):

Height : 1200 (SQ) / 1225 (CG)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1027 / 1150



SYSTEM	OPERATING TEMP. °C
HOT	+65 / +70

CITRINE GRAB&GO

SELF - SERVICE COUNTERS

Dimensions (mm):

Height : 1206 / 1220 / 1500
Length : 1250 / 1875 / 2500 / 3750
Depth : 1129



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

CITRINE DF

SERVE - OVER
FROZEN COUNTER

Dimensions (mm):

Height : 1200 (SQ)
Length : 1250 / 1875 / 2500 / 3750
Depth : 1125



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

AMBER

SELF-SERVICE COUNTER

Dimensions (mm):

Height : 1100 / 1305

Length : 1250 / 2500 / 3750

Depth : 1320



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G C

* Contact us for details on alternative refrigerant options.

TREVISO

SERVE-OVER COUNTER
REMOTE

Dimensions (mm):

Height : 1180

Length : 1875 / 2500 / 3750

Depth : 1177



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A G E

* Contact us for details on alternative refrigerant options.

VOLENDAM

COMBINED SERVE - OVER
COUNTER

Dimensions (mm):

Height : 1353

Length : 1250 / 2500 / 3750

Depth : 1176



SYSTEM	TEMPERATURE CLASS
REMOTE	M1 - M2
REFRIGERANT	
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

BENTO SUSHI

SERVE OVER COMBINED
CABINET WITH STORAGE

Dimensions (mm):

Height : 1350

Length : 1875 / 2500

Depth : 1412



SYSTEM	TEMPERATURE CLASS
REMOTE	M1
REFRIGERANT	
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.



FREEZ-
ERS

ONEGA WALL

FROZEN WELL-ONLY CABINET

Dimensions (mm):

Height : 893

Length : 1875 / 2500 / 3750 / 1875 (HC)

Depth : 1087



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G E

* Contact us for details on alternative refrigerant options.

ONEGA GLASS

FROZEN WELL-ONLY CABINET

Dimensions (mm):

Height : 912

Length : 1875 / 2500 / 3750

Depth : 1087



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G E

* Contact us for details on alternative refrigerant options.

ONEGA GLASS WIDE

FROZEN WELL-ONLY CABINET

Dimensions (mm):

Height : 912

Length : 1875 / 2500 / 3750

Depth : 1511



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G E

* Contact us for details on alternative refrigerant options.

LADOGA

ISLAND FREEZERS

Ladoga SC*

Wide Dimensions (mm):

Height : 1034

Length : 1875 / 2500 / 3750

2045 (End Cabinet)

Depth: 2045

(End Cabinet): 1087

Ladoga SC*

Narrow Dimensions (mm):

Height : 993

Length : 1875 / 2500 / 3750

1512 (End Cabinet)

Depth: 1512

(End Cabinet): 1097



Ladoga DC*

Wide Dimensions (mm):

Height : 1034

Length : 1875 / 2500 / 3750

2045 (End Cabinet)

Depth: 2045

(End Cabinet): 1087

SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G D

* Contact us for details on alternative refrigerant options.

* SC: Single Coil / DC: Double Coil



TURMALINE

COMBINED FROZEN CABINET
WITH GLASS DOOR TOP

Dimensions (mm):

Height : 2050 / 2200
Length : 1875 / 2500 / 3750
Depth : 1187



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

TURMALINE SKY

COMBINED FROZEN
CABINET WITH WIDE
LOOK GLASS DOOR TOP

Dimensions (mm):

Height : 2020 / 2220
Length : 1875 / 2500 / 3750
Depth : 1160



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	

* Contact us for details on alternative refrigerant options.

NFFGD

FROZEN FULL GLASS
DOOR CABINET

Dimensions (mm):

Height : 2080 / 2240
Length : 1562 (2dr) / 2343 (3dr)
3124 (4dr) / 3905 (5dr)
Depth : 1023



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂ Water Cooled	

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2343 mm length with door.

NFFGD SKY

FROZEN FULL GLASS
DOOR CABINET
with WIDE LOOK DOOR

Dimensions (mm):

Height : 2080 / 2240
Length : 1562 (2dr) / 2343 (3dr)
3124 (4dr) / 3905 (5dr)
Depth : 1023



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂ Water Cooled	

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2343 mm length with door.

NFFGD COMBI

COMBINED FROZEN
FULL GLASS DOOR CABINET

Dimensions (mm):

Height : 2070 / 2230
Length : 1250 - 1875 - 2500 - 3750
Depth : 1023



SYSTEM	TEMPERATURE CLASS
REMOTE	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂ Water Cooled	

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2343 mm length with door.



INTEG-
RALS

MANHATTAN

WELL ONLY CHILLED
INTEGRAL CABINET

WELL ONLY FROZEN
INTEGRAL CABINET

WELL ONLY BI-TEMP
INTEGRAL CABINET

Dimensions (mm):

Height : 941 / 1000 (with Castors)
Length : 1000 / 1500
Depth : 1040



SYSTEM	TEMPERATURE CLASS
PLUG-IN POSITIVE	M0 - M1
SYSTEM	TEMPERATURE CLASS
PLUG-IN NEGATIVE	L1
SYSTEM	TEMPERATURE CLASS
PLUG-IN BI TEMP (CHILLED)	M0 - M1
SYSTEM	TEMPERATURE CLASS
PLUG-IN BI TEMP (FROZEN)	L1
REFRIGERANT	ENERGY CLASS
HFC HFC/HFO CO ₂	A A G F

* Contact us for details on alternative refrigerant options.

AVENTURIN H

SELF - SERVICE
INTEGRAL COUNTER

Dimensions (mm):

Height : 1295
Length : 1350
Depth : 1190



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

* Energy class ratings may vary based on specific component selections.

THERMEDON

SEMI-VERTICAL
INTEGRAL CABINET

Dimensions (mm):

Height : 1300
Length : 900
Depth : 755



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M2 - H1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

ISUMI

WELL ONLY SELF-SERVICE
INTEGRAL CABINET

Isumi with lids

Dimensions (mm):

Height : 972
Length : 1250
Depth : 1104

Isumi Narrow with lids

Dimensions (mm):

Height : 972
Length : 900
Depth : 744



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

IVY CHILLED

VERTICAL INTEGRAL CABINET

Dimensions (mm):
 Height : 2070
 Length : 1250 / 1875 / 2500
 Depth : 790 / 920



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.
 * The energy class value has been calculated based on the 2500 mm length with a double glass door.

IVY FROZEN

VERTICAL INTEGRAL CABINET

Dimensions (mm):
 Height : 2000
 Length : 1250 / 1875 / 2500 / 1562 / 2343
 Depth : 790



SYSTEM	TEMPERATURE CLASS
PLUG-IN NEGATIVE	L1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.
 * The energy class value has been calculated based on the 2500 mm length with a double glass door.

IVY SV CHILLED

SEMI VERTICAL INTEGRAL CABINET

Dimensions (mm):
 Height : 1650
 Length : 1250 / 1875 / 2500
 Depth : 790



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.
 * The energy class value has been calculated based on the 2500 mm length with a double glass door.

IVY SV FROZEN

SEMI VERTICAL INTEGRAL FREEZER CABINET

Dimensions (mm):
 Height : 1650
 Length : 1250 / 1875 / 2500
 Depth : 801



SYSTEM	TEMPERATURE CLASS
PLUG-IN NEGATIVE	L1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.
 * The energy class value has been calculated based on the 2500 mm length with a double glass door.

IVY SV 600

SUPER NARROW SEMI-VERTICAL
MULTI-DECK

Dimensions (mm):

Height : 1400

Length : 1250 / 1875 / 2500

Depth : 640



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A B C

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

FISH SLAB

SERVE-OVER INTEGRAL COUNTER

Dimensions (mm):

Height : 1162

Length : 1250 / 2500

Depth : 1012



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A B F

* Contact us for details on alternative refrigerant options.

PEARL TOP MOUNTED

VERTICAL MULTI-DECK
INTEGRAL CABINET

Dimensions (mm):

Height : 2200

Length :

Run Cabinets: 1250 / 1875 / 2500

End Cabinets: 1660 / 1875 / 2136

Depth : 770 / 850 / 950 / 1090



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A B C

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

NFFGD SKY TOP MOUNTED

FROZEN FULL GLASS DOOR
INTEGRAL CABINET

Dimensions (mm):

Height : 2240

Length : 1562 (2dr) / 2343 (3dr) / 3124 (4dr)

Depth : 1023



SYSTEM	TEMPERATURE CLASS
PLUG-IN NEGATIVE	L1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A B D

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

LIV

INTEGRAL SELF SERVICE SALAD BAR

Dimensions (mm):
Height : 1410
Length : 1646
Depth : 940



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1
REFRIGERANT	
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

SEDEF

VERTICAL INTEGRAL CABINET

Dimensions (mm):
Height : 2072
Length : 1250 / 1875 / 2500
Depth : 778



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

SEDEF SUPER SLIM

SUPER NARROW VERTICAL INTEGRAL CABINET

Dimensions (mm):
Height : 2070
Length : 1000
Depth : 713



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

SEDEF TCS 625

FULL HEIGHT CHILLED INTEGRAL CABINET

Dimensions (mm):
Height : 2065
Length : 705 (Including end walls)
Depth : 744



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

GRANIZADO

SUPER NARROW
VERTICAL INTEGRAL CABINET

Dimensions (mm):

Height : 2205
Length : 1200
Depth : 542



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

LINDAU

SEMI-VERTICAL
ISLAND CABINET

Dimensions (mm):

Height : 1200
Length : 1875 / 2500 / 3750
Depth : 1377



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

CITRINE 800 SS PL

SELF - SERVICE
INTEGRAL COUNTER

Dimensions (mm):

Height : 1133
Length : 1250
Depth : 1100



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M0 - M1 - M2 - H1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

AMATIS PL 625

FROZEN FULL GLASS DOOR
INTEGRAL CABINET

Dimensions (mm):

Height : 2090
Length : 725
Depth : 895



SYSTEM	TEMPERATURE CLASS
PLUG-IN NEGATIVE	L1
REFRIGERANT	ENERGY CLASS
HC HFC HFO	A A G D

* Contact us for details on alternative refrigerant options.

*Energy class ratings may vary in accordance with customer-specific requirements.

BERIL STORAGE PL

SERVE OVER INTEGRAL COUNTER WITH INTEGRATED STORAGE

Dimensions (mm):
 Height : 1314
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 1202 (CG) / 1242 (SQ)



SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

FLORIT PL

SELF SERVICE PRODUCE INTEGRAL COUNTER

Dimensions (mm):
 Height : 1396
 Length : 1250
 Depth : 1360



SYSTEM	TEMPERATURE CLASS
PLUG-IN	HI
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

OPAL PL

SEMI-VERTICAL INTEGRAL CABINET

Dimensions (mm):
 Height : 1500
 Length : 1250 / 1875 / 2500 / 3750
 Depth : 850



SYSTEM	TEMPERATURE CLASS
PLUG-IN	HI
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

* The energy class value has been calculated based on the 2500 mm length with a double glass door.

OPAL CAKE

SEMI - VERTICAL INTEGRAL CABINET

Dimensions (mm):
 Height : 1385
 Length : 1250 / 1660 (HC)
 Depth : 742




SYSTEM	TEMPERATURE CLASS
PLUG-IN	M1 - M2
REFRIGERANT	ENERGY CLASS
HC HFC HFO	

* Contact us for details on alternative refrigerant options.

> REFLECT <

CASE+



TEKNOSAB 28. Cadde No: 1
16700 Karacabey / Bursa, Türkiye

www.kaplanlar.com